

Caliber: 7mmTCU
Barrel length: 14"

Powder: **Accurate – A-5744®.**

Bullet weight: 100 grains.

Start load: 20.7 grains (2000 – 2100 Ft/p/sec)

Maximum load: 23.0 grains (2275 – 2375 Ft/p/sec).

Bullet weight: 120 grains.

Start load: 19.8 grains (1775 – 1875 Ft/p/sec)

Maximum load: 22.0 grains (2225 – 2325 Ft/p/sec).

Bullet weight: 130 grains.

Start load: 18.9 grains (1700 – 1800 Ft/p/sec)

Maximum load: 21.0 grains (1925 – 2025 Ft/p/sec).

Bullet weight: 140 grains.

Start load: 18.4 grains (1650 – 1750 Ft/p/sec)

Maximum load: 20.5 grains (1875 – 1975 Ft/p/sec).

Bullet weight: 150 grains.

Start load: 17.1 grains (1475 – 1575 Ft/p/sec)

Maximum load: 19.0 grains (1725 – 1825 Ft/p/sec).

Bullet weight: 162 grains.

Start load: 16.6 grains (1425 – 1525 Ft/p/sec)

Maximum load: 18.5 grains (1650 – 1750 Ft/p/sec).

Bullet weight: 175 grains.

Start load: 16.2 grains (1375 – 1475 Ft/p/sec)

Maximum load: 18.0 grains (1575 – 1675 Ft/p/sec).

Powder: **Accurate –1680®.**

Bullet weight: 139 grains.

Start load: 21.1 grains (1850 – 1900 Ft/p/sec)

Maximum load: 23.5 grains (2100 – 2200 Ft/p/sec).

Bullet weight: 154 grains.

Start load: 18.9 grains (1700 – 1800 Ft/p/sec)

Maximum load: 22.5 grains (1925 – 2025 Ft/p/sec).

Bullet weight: 162 grains.

Start load: 18.3 grains (1600 – 1700 Ft/p/sec)

Maximum load: 20.3 grains (1800 – 1900 Ft/p/sec).

Powder: **Accurate –2015®.**

Bullet weight: 175 grains.

Start load: 20.7 grains (1575 – 1650 Ft/p/sec)

Maximum load: 23.0 grains (1800 – 1900 Ft/p/sec). LD ca 101%

Powder: **Accurate –2230®.**

Bullet weight: 100 grains.

Start load: 26.0grains (2150 – 2250 Ft/p/sec)

Maximum load: 29.0grains (2400 – 2500 Ft/p/sec) LD ca 109%.

Bullet weight: 120 grains.

Start load: 25.0grains (1950 - 2050 Ft/p/sec)

Maximum load: 28.0 grains (2200 - 2300 Ft/p/sec) LD ca 108%.

Bullet weight: 130 grains.

Start load: 24.5grains (1900 - 2000 Ft/p/sec)

Maximum load: 27.5 grains (2150 - 2250 Ft/p/sec) LD ca 107%.

Bullet weight: 140 grains.

Start load: 24.0grains (1850 - 1950 Ft/p/sec)

Maximum load: 27.0 grains (2100 - 2200 Ft/p/sec) LD ca 105%.

Bullet weight: 139 grains.

Start load: 25.2 grains (1850 – 1900 Ft/p/sec)

Maximum load: 28.0 grains (2100 – 2200 Ft/p/sec) LD ca 104%

Bullet weight: 154 grains.

Start load: 23.4 grains (1800 – 1900 Ft/p/sec)

Maximum load: 26.0 grains (1975 – 2075 Ft/p/sec) LD ca 103%

Bullet weight: 162 grains.

Start load: 22.5 grains (1650 – 1750 Ft/p/sec)

Maximum load: 25.0 grains (1900 – 2000 Ft/p/sec) LD ca 102%

Bullet weight: 175 grains.

Start load: 21.6 grains (1575 – 1650 Ft/p/sec)

Maximum load: 24.0 grains (1800 – 1900 Ft/p/sec) LD ca 101%

Powder: Accurate –2460®.

Bullet weight: 175 grains.

Start load: 22.5 grains (1575 – 1650 Ft/p/sec)

Maximum load: 25.0 grains (1800 – 1900 Ft/p/sec). LD ca 103%

NOTES:

It' important to note that SAFETY is our prime concern therefore we strongly recommend.

1. **ALWAYS BEGIN LOADING AT THE RECOMMENDED MINIMUM “START” LOAD and develop loads in 2% increments towards the MAXIMUM load.**
2. **If possible, measure the velocity and correlate with our data.**