

Powder: **Ramshot – SILHOUETTE® 1st Choice.**

Bullet weight: 90 grains. COL .980”

Start load: 4.3grains (950 – 1000 Ft/p/sec)

Maximum load: 5.4grains (1050 – 1100 Ft/p/sec).

Bullet weight: 95 grains. COL .980”

Start load: 4.3grains (925 – 975 Ft/p/sec)

Maximum load: 5.2grains (1025 – 1075 Ft/p/sec).

NOTES:

It’ important to note that SAFETY is our prime concern therefore we strongly recommend.

- 4. ALWAYS BEGIN LOADING AT THE RECOMMENDED MINIMUM “START” LOAD and develop loads in 2% increments towards the MAXIMUM load.**
- 5. CAUTION: Beware of double charging if the loading density is below 50% of the available volume.
Example: Most Handgun caliber/powder combinations**
- 6. If possible, measure the velocity and correlate with our data.**

Caliber: 7.62x25 Tokarev.

Barrel length: 4.8”

Groove Dia.: .309”

Powder: Accurate –no5®.

Bullet weight: 85/86 grains.

Start load: 7.2 grains (ca 1250 Fps)

Maximum load: 8.1 grains (ca 1425 Fps) LD ca 58%

Bullet weight: 100 grains.

Start load: 6.4 grains (ca 1075 Fps)

Maximum load: 7.5 grains (ca 1300 Fps) LD ca 59%.

Powder: Accurate –no7®.

Bullet weight: 85/86 grains.

Start load: 7.7 grains (ca 1200 Fps)

Maximum load: 9.6 grains (ca 1450 Fps) LD ca 67%

Bullet weight: 90/93 grains.

Start load: 7.4 grains (ca 1175 Fps)

Maximum load: 9.2grains (ca 1425 Fps) LD ca 65%.

Bullet weight: 100 grains.

Start load: 6.8 grains (ca 1075 Fps)

Maximum load: 8.5 grains (ca 1350 Fps) LD ca 63%.

Bullet weight: 110 grains.

Start load: 6.1 grains (ca 1000 Fps)

Maximum load: 7.6 grains (ca 1250 Fps) LD ca 62%.

Powder: Accurate –no9®.

Bullet weight: 85/86 grains.

Start load: 9.5 grains (ca 1300 Fps)

Maximum load: 10.6 grains (ca 1500 Fps) LD ca 78%

Bullet weight: 90/93 grains.

Start load: 9.2 grains (ca 1275 Fps)

Maximum load: 10.8 grains (ca 1475 Fps) LD ca 76%.

Bullet weight: 100 grains.

Start load: 8.0 grains (ca 1075 Fps)

Maximum load: 9.2 grains (ca 1325 Fps) LD ca 74%.

Bullet weight: 110 grains.

Start load: 7.6 grains (ca 1100 Fps)
Maximum load: 8.5 grains (ca 1250 Fps) LD ca 72%.

NOTES:

It' important to note that SAFETY is our prime concern therefore we strongly recommend.

7. **ALWAYS BEGIN LOADING AT THE RECOMMENDED MINIMUM "START" LOAD and develop loads in 2% increments towards the MAXIMUM load.**
8. **CAUTION: Beware of double charging if the loading density is below 50% of the available volume.**

Examples:

- **Most Handgun caliber/powder combinations as well as**
- **A-5744 with reduced loads for rifles.**

9. If possible, measure the velocity and correlate with our data.

Caliber: 7.62x25 TOKAREV

Barrel length: 4.8"

Powder: Ramshot – SILHOUETTE®.

Bullet weight: 85 grains.

Start load: 6.5 grains (ca 1250 Fps)

Maximum load: 7.7 grains (ca 1450 Fps).

Bullet weight: 90 grains.

Start load: 6.1 grains (ca 1275 Fps)

Maximum load: 7.2 grains (ca 1400 Fps).

Bullet weight: 100 grains.

Start load: 5.7 grains (ca 1200 Fps)

Maximum load: 6.7 grains (ca 1350 Fps).

Bullet weight: 110 grains.

Start load: 5.2 grains (ca 1025 Fps)

Maximum load: 6.1 grains (ca 1225 Fps).

Powder: Ramshot – TRUEBLUE®.

Bullet weight: 85 grains.

Start load: 6.7 grains (ca 1225 Fps)

Maximum load: 7.9 grains (ca 1400 Fps).

Bullet weight: 90 grains.

Start load: 6.3 grains (ca 1175 Fps)

Maximum load: 7.4 grains (ca 1350 Fps).

Bullet weight: 100 grains.

Start load: 6.2 grains (ca 1100 Fps)

Maximum load: 6.9 grains (ca 1200 Fps).

Bullet weight: 110 grains.

Start load: 5.4 grains (ca 1050 Fps)

Maximum load: 6.3 grains (ca 1175 Fps).

Powder: Ramshot – Enforcer®.

Bullet weight: 85 grains.

Start load: 11.7 grains (ca 1292 Fps)

Maximum load: 12.7 grains (ca 1439 Fps).

Bullet weight: 110 grains.

Start load: 9.6 grains (ca 1119 Fps)

Maximum load: 10.7 grains (ca 1272 Fps).

NOTES:

It' important to note that SAFETY is our prime concern therefore we strongly recommend.

10. **ALWAYS BEGIN LOADING AT THE RECOMMENDED MINIMUM "START" LOAD and develop loads in 2% increments towards the MAXIMUM load.**
11. **CAUTION: Beware of double charging if the loading density is below 50% of the available volume.**

Example: Most Handgun caliber/powder combinations

12. **If possible, measure the velocity and correlate with our data.**