

Caliber: 7.62x25 Tokarev.
Barrel length: 4.8”
Groove Dia.: .309”

Powder: Accurate –no5®.

Bullet weight: 85/86 grains.

Start load: 7.2 grains (ca 1250 Fps)

Maximum load: 8.1 grains (ca 1425 Fps) LD ca 58%

Bullet weight: 100 grains.

Start load: 6.4 grains (ca 1075 Fps)

Maximum load: 7.5 grains (ca 1300 Fps) LD ca 59%.

Powder: Accurate –no7®.

Bullet weight: 85/86 grains.

Start load: 7.7 grains (ca 1200 Fps)

Maximum load: 9.6 grains (ca 1450 Fps) LD ca 67%

Bullet weight: 90/93 grains.

Start load: 7.4 grains (ca 1175 Fps)

Maximum load: 9.2 grains (ca 1425 Fps) LD ca 65%.

Bullet weight: 100 grains.

Start load: 6.8 grains (ca 1075 Fps)

Maximum load: 8.5 grains (ca 1350 Fps) LD ca 63%.

Bullet weight: 110 grains.

Start load: 6.1 grains (ca 1000 Fps)

Maximum load: 7.6 grains (ca 1250 Fps) LD ca 62%.

Powder: Accurate –no9®.

Bullet weight: 85/86 grains.

Start load: 9.5 grains (ca 1300 Fps)

Maximum load: 10.6 grains (ca 1500 Fps) LD ca 78%

Bullet weight: 90/93 grains.

Start load: 9.2 grains (ca 1275 Fps)

Maximum load: 10.8 grains (ca 1475 Fps) LD ca 76%.

Bullet weight: 100 grains.

Start load: 8.0 grains (ca 1075 Fps)

Maximum load: 9.2 grains (ca 1325 Fps) LD ca 74%.

Bullet weight: 110 grains.

Start load: 7.6 grains (ca 1100 Fps)

Maximum load: 8.5 grains (ca 1250 Fps) LD ca 72%.

NOTES:

It' important to note that SAFETY is our prime concern therefore we strongly recommend.

- 1. ALWAYS BEGIN LOADING AT THE RECOMMENDED MINIMUM “START” LOAD and develop loads in 2% increments towards the MAXIMUM load.**
- 2. CAUTION: Beware of double charging if the loading density is below 50% of the available volume.**
Examples:
 - > Most Handgun caliber/powder combinations as well as**
 - > A-5744 with reduced loads for rifles.**
- 3. If possible, measure the velocity and correlate with our data.**