

Since we do not have any specific lab tested data on this caliber, we can provide you with some guideline, based on calculations and information from other sources.

**Caliber:** **8mm Nambu. (Japanese)**

**Barrel length:** 4.6"

**Pressure:** <15000Psi

**Powder:** **Accurate – No 5®**

Bullet weight: 83-87 grains

Start load: 4.4 grains. (ca 850 Fps)

Maximum load: 5.5 grains (ca 1000 Fps)

Bullet weight: 100 grains. COL: 1.190"

Start load: 4.0 grains. (ca 675 Fps)

Maximum load: 5.0 grains (ca 850 Fps)

Bullet weight: 125 grains

Start load: 3.5 grains. (ca 700 Fps)

Maximum load: 4.0 grains (ca 800 Fps)

**NOTES:**

**It's important to note that SAFETY is our prime concern therefore we strongly recommend.**

1. **ALWAYS BEGIN LOADING AT THE RECOMMENDED MINIMUM "START" LOAD and develop loads in 2% increments towards the MAXIMUM load.**
2. **CAUTION: Beware of double charging if the loading density is below 50% of the available volume.**
3. **If possible, measure the velocity and correlate with our data.**